


Certificate of Analysis

Produced: Aug 19, 2026

Sample: Full Spectrum Delta 9 Gummies 200mg, Watermelon, 20ct (Edible Solid) • Client: Neurogan Inc. • Batch: Pass



Batch No.: DK24-R51425
Matrix: Edible Solid
Sample ID: ICC-260813-25-003
Collected on: Aug 13, 2026
Received on: Aug 13, 2026
Sample Size:
Package Size: 70.77 g
Serving Size: 3.54 g
Address: 19900 Mac Arthur Boulevard Suite 1190, Irvine, California 92612

Batch Result: Pass

Potency	Tested	Microbial	Pass
Solvents	Pass	Mycotoxins	Pass
Metals	Pass	Pesticides	Pass

Cannabinoid Overview

Total THC:	8.46 mg/srv
Total CBD:	87.4 mg/srv
Total Cannabinoids:	120 mg/srv
Sum of Cannabinoids:	120 mg/srv

POT-INST-005: POT-INST-005: Potency • Aug 18, 2026

Analyte	Amt (mg/srv)	Amt (mg/pkg)	Amt (%)	Uncertainty	Amt (mg/g)	LOD/LOQ (mg/g)	Pass/Fail
CBC	11.6	233	0.329	± 0.00415 %	3.29	0.0283/0.0849	N/A
CBD	87.4	1750	2.47	± 0.0244 %	24.7	0.00865/0.0429	N/A
CBDA			ND	N/A	ND	0.0207/0.0621	N/A
CBDV	2.42	48.3	0.0683	± 0.000621 %	0.683	0.00686/0.0429	N/A
CBG	2.91	58.1	0.0821	± 0.000855 %	0.821	0.00977/0.0429	N/A
CBGA			ND	N/A	ND	0.0153/0.0458	N/A
CBL			ND	N/A	ND	0.00675/0.0429	N/A
CBN	2.28	45.5	0.0643	± 0.000456 %	0.643	0.00977/0.0429	N/A

Analyte	Amt (mg/srv)	Amt (mg/pkg)	Amt (%)	Uncertainty	Amt (mg/g)	LOD/LOQ (mg/g)	Pass/Fail
CBT	4.43	88.5	0.125	± 0.00116 %	1.25	0.0123/0.0429	N/A
Δ ⁸ -THC			ND	N/A	ND	0.00694/0.0429	N/A
Δ ⁹ -THC	8.46	169	0.239	± 0.00249 %	2.39	0.0115/0.0429	N/A
THCA			ND	N/A	ND	0.0157/0.0472	N/A
THCV	0.230	4,590.00649	± 0.0000632 %		0.06490.00530/0.0429		N/A
Total THC**	8.46	169	0.239	± 0.00249 %	2.39		N/A
Total CBD**	87.4	1750	2.47	± 0.0244 %	24.7		N/A
Total Cannabinoids*	120	2390	3.38		33.8		N/A

* Beyond scope of accreditation
** Total Cannabinoids = Neutral Cannabinoids + (Acidic Cannabinoids * 0.877)
** Total THC = Delta-8-THC + (Delta-8-THCA x 0.877) + Delta-9-THC + (THCA x 0.877)
** Total CBD = CBD + (CBDA x 0.877)
NR= Not Reported, ND= Not Detected, *Reported by Dry Mass*; *analytical instrumentation used Cannabinoids: UHPLC-DAD, Moisture: Mass by Drying, Water Activity: Water Activity Meter, Foreign: Microscope*
*Density tested at a temperature range between 19-24 °C, *Water Activity tested at a humidity range between 0-90% Relative Humidity. All OA samples are sampled by the client, All California State Compliant samples sampled using SAMPL-SOP-001.



Signature of David Marelius

Signature of Erik Paulson

RS-INST-003, RS-PREP-001: RS-INST-003, RS-PREP-001: Residual Solvents by GC-MS • Aug 17, 2026

Analyte	Limit (µg/g)	Amt (µg/g)	Uncertainty	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	Uncertainty	LOD/LOQ (µg/g)	Pass/Fail
1,2-Dichloroethane	1	ND	N/A	0.140/0.426	Pass	Hexane	290	ND	N/A	0.0553/0.235	Pass
Acetone	5000	< LOQ	N/A	14.3/42.9	Pass	Isopropyl alcohol	5000	ND	N/A	1.07/3.22	Pass
Acetonitrile	410	ND	N/A	0.101/0.301	Pass	Methanol	3000.301	20.8	± 0.301 µg/g	2.49/7.47	Pass
Benzene	1	ND	N/A	0.0176/0.0535	Pass	Methylene chloride	1	ND	N/A	0.106/0.611	Pass
Butane	5000	ND	N/A	0.814/4.06	Pass	Pentane	5000	ND	N/A	0.806/3.58	Pass
Chloroform	1	ND	N/A	0.0302/0.0905	Pass	Propane	5000	ND	N/A	3.72/11.1	Pass
Ethanol	5000	ND	N/A	2.19/6.57	Pass	Toluene	890	ND	N/A	0.0737/0.724	Pass
Ethyl acetate	5000.552	29.9	± 0.552 µg/g	0.262/1.92	Pass	Trichloroethylene	1	ND	N/A	0.0151/0.121	Pass
Ethylene oxide	1	ND	N/A	0.128/0.485	Pass	o-Xylene		ND	N/A	0.0844/0.718	N/A
Ethyl ether	5000	ND	N/A	0.991/2.97	Pass	p- and m-Xylene		ND	N/A	0.0967/1.44	N/A
Heptane	5000.366	22.1	± 0.366 µg/g	0.576/2.40	Pass	Total xylenes	2170	ND		0.0845/0.719	Pass

HM-INST-003, HM-PREP-001: HM-INST-003, HM-PREP-001: Heavy Metals Testing by ICP-MS • Aug 17, 2026

Analyte	Limit (µg/g)	Amt (µg/g)	Uncertainty	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	Uncertainty	LOD/LOQ (µg/g)	Pass/Fail
Arsenic	1.5	ND	N/A	0.00300/0.00900	Pass	Lead	0.5	< LOQ	N/A	0.00100/0.00400	Pass
Cadmium	0.5	ND	N/A	0.00100/0.00200	Pass	Mercury	3	ND	N/A	0.00500/0.0140	Pass

MICRO-008, MICRO-INST-001, MICRO-PREP-001: MICRO-008, MICRO-INST-001, MICRO-PREP-001: PCR-Microbial (noninhalable) • Aug 14, 2026

Analyte	Limit	Amt	Pass/Fail	Analyte	Limit	Amt	Pass/Fail
Salmonella spp.	Any amt in 1 gram	ND	Pass	Shiga toxin-producing E. coli	Any amt in 1 gram	ND	Pass

PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: Mycotoxin Analysis by LC-MS/MS • Aug 18, 2026

Analyte	Limit (µg/kg)	Amt (µg/kg)	Uncertainty	LOD/LOQ (µg/kg)	Pass/Fail	Analyte	Limit (µg/kg)	Amt (µg/kg)	Uncertainty	LOD/LOQ (µg/kg)	Pass/Fail
Aflatoxin B1		ND	N/A	1.06/3.19	N/A	Aflatoxin G2		ND	N/A	0.722/2.46	N/A
Aflatoxin B2		ND	N/A	0.923/2.77	N/A	Aflatoxins	20	ND			Pass
Aflatoxin G1		ND	N/A	2.33/7.00	N/A	Ochratoxin A	20	ND	N/A	3.87/11.7	Pass

PEST-GC-INST-003, PEST-GC-PREP-001: PEST-GC-INST-003, PEST-GC-PREP-001: Pesticide Analysis by GC-MS/MS • Aug 18, 2026

Analyte	Limit (µg/g)	Amt (µg/g)	Uncertainty	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	Uncertainty	LOD/LOQ (µg/g)	Pass/Fail
Captan	5	ND	N/A	0.120/0.358	Pass	Cypermethrin	1	ND	N/A	0.0145/0.0435	Pass
Chlordane	Any amt	ND	N/A	0.0249/0.0747	Pass	Methyl parathion	Any amt	ND	N/A	0.00811/0.0243	Pass
Chlorfenapyr	Any amt	ND	N/A	0.0251/0.0753	Pass	Pentachloronitrobenzene	0.2	ND	N/A	0.0182/0.0545	Pass
Cyfluthrin	1	ND	N/A	0.0186/0.0558	Pass						



[Signature]

[Signature]

PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: Pesticide Analysis by LC-MS/MS • Aug 18, 2026

Analyte	Limit (µg/g)	Amt (µg/g)	Uncertainty	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	Uncertainty	LOD/LOQ (µg/g)	Pass/Fail
Abamectin	0.3	ND		0.0500/0.100	Pass	Methiocarb	Any amt	ND	N/A	0.0156/0.0473	Pass
Abamectin Ba		ND	N/A	0.0330/0.0990	N/A	Methomyl	0.1	ND	N/A	0.0158/0.0479	Pass
Acephate	5	ND	N/A	0.0164/0.0497	Pass	Mevinphos	Any amt	ND	N/A	0.0139/0.0423	Pass
Acequinocyl	4	ND	N/A	0.0194/0.0587	Pass	Myclobutanil	9	ND	N/A	0.0180/0.0546	Pass
Acetamiprid	5	ND	N/A	0.0146/0.0442	Pass	Naled	0.5	ND	N/A	0.0170/0.0514	Pass
Aldicarb	Any amt	ND	N/A	0.0216/0.0654	Pass	Oxamyl	0.2	ND	N/A	0.0153/0.0465	Pass
Azoxystrobin	40	ND	N/A	0.00960/0.0291	Pass	Paclobutrazol	Any amt	ND	N/A	0.0132/0.0400	Pass
Bifenazate	5	ND	N/A	0.0115/0.0349	Pass	Permethrin	20	ND		0.00831/0.0300	Pass
Bifenthrin	0.5	ND	N/A	0.0130/0.0395	Pass	Permethrin cis		ND	N/A	0.0200/0.0300	N/A
Boscalid	10	ND	N/A	0.0197/0.0596	Pass	Permethrin trans		ND	N/A	0.0200/0.0300	N/A
Carbaryl	0.5	ND	N/A	0.0160/0.0486	Pass	Phosmet	0.2	ND	N/A	0.0125/0.0377	Pass
Carbofuran	Any amt	ND	N/A	0.00902/0.0300	Pass	Piperonylbutoxide	8	ND	N/A	0.00759/0.0300	Pass
Chlorantraniliprole	40	ND	N/A	0.0209/0.0632	Pass	Prallethrin	0.4	ND	N/A	0.0226/0.0685	Pass
Chlorpyrifos	Any amt	ND	N/A	0.0176/0.0534	Pass	Propiconazole	20	ND	N/A	0.0195/0.0590	Pass
Clofentezine	0.5	ND	N/A	0.0129/0.0389	Pass	Propoxur	Any amt	ND	N/A	0.0155/0.0471	Pass
Coumaphos	Any amt	ND	N/A	0.0185/0.0559	Pass	Pyrethrins	1	ND		0.00431/0.0300	Pass
Daminozide	Any amt	ND	N/A	0.0261/0.0791	Pass	Pyrethrins Cinerin I		ND	N/A		N/A
Diazinon	0.2	ND	N/A	0.00645/0.0300	Pass	Pyrethrins Cinerin II		ND	N/A		N/A
Dichlorvos	Any amt	ND	N/A	0.0223/0.0674	Pass	Pyrethrins Jasmolin I		ND	N/A		N/A
Dimethoate	Any amt	ND	N/A	0.0118/0.0356	Pass	Pyrethrins Jasmolin II		ND	N/A		N/A
Dimethomorph	20	ND	N/A	0.0137/0.0416	Pass	Pyrethrins Pyrethrin I		ND	N/A	0.0100/0.0450	N/A
Ethoprophos	Any amt	ND	N/A	0.0174/0.0528	Pass	Pyrethrins Pyrethrin II		ND	N/A	0.0100/0.0300	N/A
Etofenprox	Any amt	ND	N/A	0.00849/0.0300	Pass	Pyridaben	3	ND	N/A	0.0115/0.0350	Pass
Etoxazole	1.5	ND	N/A	0.00783/0.0300	Pass	Spinetoram	3	ND		0.00639/0.0300	Pass
Fenhexamid	10	ND	N/A	0.0129/0.0392	Pass	Spinetoram J		ND	N/A	0.00500/0.0100	N/A
Fenoxycarb	Any amt	ND	N/A	0.0144/0.0435	Pass	Spinetoram L		ND	N/A	0.00500/0.0100	N/A
Fenpyroximate	2	ND	N/A	0.00972/0.0300	Pass	Spinosad	3	ND		0.00410/0.0300	Pass
Fipronil	Any amt	ND	N/A	0.0148/0.0447	Pass	Spinosad A		ND	N/A	0.00500/0.0100	N/A
Flonicamid	2	ND	N/A	0.0268/0.0811	Pass	Spinosad D		ND	N/A	0.00500/0.0100	N/A
Fludioxonil	30	ND	N/A	0.0153/0.0464	Pass	Spiromesifen	12	ND	N/A	0.0137/0.0416	Pass
Hexythiazox	2	ND	N/A	0.0257/0.0778	Pass	Spirotetramat	13	ND	N/A	0.0134/0.0407	Pass
Imazalil	Any amt	ND	N/A	0.0156/0.0474	Pass	Spiroxamine	Any amt	ND	N/A	0.0106/0.0320	Pass
Imidacloprid	3	ND	N/A	0.0235/0.0711	Pass	Tebuconazole	2	ND	N/A	0.0144/0.0437	Pass
Kresoxim-methyl	1	ND	N/A	0.0125/0.0379	Pass	Thiacloprid	Any amt	ND	N/A	0.0139/0.0421	Pass
Malathion	5	ND	N/A	0.0117/0.0354	Pass	Thiamethoxam	4.5	ND	N/A	0.0181/0.0549	Pass
Metalaxyl	15	ND	N/A	0.0101/0.0306	Pass	Trifloxystrobin	30	ND	N/A	0.0102/0.0310	Pass

Accreditations



PJLA Accredited

PEST-GC-INST-003, PEST-GC-PREP-001: PEST-GC-INST-003, PEST-GC-PREP-001: Pesticide Analysis by GC-MS/MS / PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: Pesticide Analysis by LC-MS/MS

Abamectin, Abamectin Ba, Acephate, Acequinocyl, Acetamiprid, Aldicarb, Azoxystrobin, Bifenazate, Bifenthrin, Boscalid, Captan, Carbaryl, Carbofuran, Chlorantraniliprole, Chlordane, Chlorfenapyr, Chlorpyrifos, Clofentezine, Coumaphos, Cyfluthrin, Cypermethrin, Daminozide, Diazinon, Dichlorvos, Dimethoate, Dimethomorph, Ethoprophos, Etofenprox, Etoxazole, Fenhexamid, Fenoxycarb, Fenpyroximate, Fipronil, Flonicamid, Fludioxonil, Hexythiazox, Imazalil, Imidacloprid, Kresoxim-methyl, MGK-264, MGK-264 I, MGK-264 II, Malathion, Metalaxyl, Methiocarb, Methomyl, Methyl parathion, Mevinphos, Myclobutanil, Naled, Oxamyl, Paclobutrazol, Pentachloronitrobenzene, Permethrin, Permethrin cis, Permethrin trans, Phosmet, Piperonylbutoxide, Prallethrin, Propiconazole, Propoxur, Pyrethrins, Pyrethrins Cinerin I, Pyrethrins Cinerin II, Pyrethrins Jasmolin I, Pyrethrins Jasmolin II, Pyrethrins Pyrethrin I, Pyrethrins Pyrethrin II, Pyridaben, Quintozene, Spinetoram, Spinetoram J, Spinetoram L, Spinosad, Spinosad A, Spinosad D, Spiromesifen, Spirotetramat, Spiroxamine, Spiroxamine A, Spiroxamine B, Tebuconazole, Thiacloprid, Thiamethoxam, Trifloxystrobin, alpha-Chlordane, gamma-Chlordane

RS-INST-003, RS-PREP-001: RS-INST-003, RS-PREP-001: Residual Solvents by GC-MS

1,2-Dichloroethane, 2-Propanol, Acetone, Acetonitrile, Benzene, Butane, Chloroform, Dichloromethane, Ethanol, Ethyl acetate, Ethyl ether, Ethylene oxide, Heptane, Hexane, Isopropyl alcohol, Methanol, Methylene chloride, Pentane, Propane, Toluene, Total xylenes, Trichloroethene, Trichloroethylene, m-Xylene, o- and p-Xylene, o-Xylene, p- and m-Xylene, p-Xylene

MICRO-008, MICRO-INST-001, MICRO-PREP-001: MICRO-008, MICRO-INST-001, MICRO-PREP-001: PCR-Microbial (noninhalable)

Aerobic Bacteria, Aspergillus flavus, Aspergillus fumigatus, Aspergillus niger, Aspergillus terreus, Coliforms, Escherichia coli, Salmonella spp., Shiga toxin-producing E. coli, Total Plate Count, Yeast & Mold

POT-INST-005: POT-INST-005: Potency

CBC, CBCA, CBCV, CBD, CBDA, CBDV, CBDVA, CBG, CBGA, CBL, CBLA, CBN, CBNA, CBT, Delta-8-THC, Delta-9-THC, THCA, THCV, THCVA, Total CBD, Total THC

PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: Mycotoxin Analysis by LC-MS/MS

Aflatoxin B1, Aflatoxin B2, Aflatoxin G1, Aflatoxin G2, Aflatoxins, Ochratoxin A

HM-INST-003, HM-PREP-001: HM-INST-003, HM-PREP-001: Heavy Metals Testing by ICP-MS

Arsenic, Cadmium, Lead, Mercury



Signature

Signature